Physician - Valvular Diseases and Surgery

[MSB-48]

Emergency Surgical Aortic Valve Replacement in Patients Following Failed Valve-in-Valve Transcatheter Valve Procedure: A Case Series

<u>Yunus Emre Ergin</u>, Erdal Şimşek, Onur Karahasanoğlu, Yunus Şahin, Hatice Zengin, Altay Alili, Çağatay Kilinç, Serdar Günaydın

Ankara City Hospital, Ankara, Türkiye

Turk Gogus Kalp Dama 2024;32(Suppl 2):MSB-48

Doi: 10.5606/tgkdc.dergisi.2024.msb-48 E-mail: ynsmr.ergin@gmail.com Received: September 13, 2024 - Accepted: September 29, 2024

Valve-in-valve transcatheter aortic valve implantation (TAVI) has become a less invasive alternative to reoperation for elderly or high-risk patients with failed bioprosthetic valves. Data from the EuRECS-TAVI (European Registry on Emergent Cardiac Surgery during TAVI) registry, covering 27,760 TAVI procedures, demonstrated that emergency cardiac surgery due to TAVI complications occurs in 0.76 to 0.98% of cases. The most common reasons include ventricular perforation (28.3%), annular rupture (21.2%), valve migration/embolization (12.7%), and aortic dissection (11.8%).

Keywords: Heart valve prosthesis implantation.



Figure 1. Intraoperative photographs of surgical transcatheter aortic bioprosthesis explantation.

References

- 1. Yokoyama Y, Kuno T, Zaid S, Kaneko T, Takagi H, Tang GHL, et al. Surgical explantation of transcatheter aortic bioprosthesis: A systematic review and meta-analysis. JTCVS Open 2021;8:207-27. doi: 10.1016/j.xjon.2021.09.023.
- 2. Valdis M, Hage F, Diamantouros P, Bagur R, Teefy P, Chu MWA. Snaring technique for explantation of transcatheter aortic valve bioprosthesis. Ann Cardiothorac Surg 2020;9:534-6. doi: 10.21037/acs-2020-av-18.
- 3. Division of Cardiac Surgery, Department of Surgery, Division of Cardiology, Department of Medicine, Western University, London Health Sciences Center, London, Ontario, Canada.